






SILICONE HOSE

Coupler	Pos.	ID	Wall	Length
		(mm)	(mm)	(mm)
	SCH25	25	3ply - 4.5mm	76
	SCH28	28	3ply - 4.5mm	76
	SCH30	30	3ply - 4.5mm	76
	SCH32	32	3ply - 4.5mm	76
	SCH35	35	3ply - 4.5mm	76
	SCH38	38	3ply - 4.5mm	76
	SCH41	41	3ply - 4.5mm	76
	SCH45	45	3ply - 4.5mm	76
	SCH48	48	3ply - 4.5mm	76
	SCH51	51	3ply - 4.5mm	76
	SCH54	54	3ply - 4.5mm	76
	SCH57	57	3ply - 4.5mm	76
	SCH60	60	3ply - 4.5mm	76
	SCH63	63	3ply - 4.5mm	76
	SCH65	65	3ply - 4.5mm	76
	SCH68	68	3ply - 4.5mm	76
	SCH70	70	3ply - 4.5mm	76
	SCH76	76	3ply - 4.5mm	76
	SCH80	80	3ply - 4.5mm	76
	SCH83	83	3ply - 4.5mm	76
	SCH89	89	3ply - 4.5mm	76
	SCH102	102	3ply - 4.5mm	76

Hump Hose	Pos.	ID	Wall	Length
		(mm)	(mm)	(mm)
	SHH50	50	3ply - 4.5mm	76
	SHH60	60	3ply - 4.5mm	76
	SHH63	63	3ply - 4.5mm	76
	SHH70	70	3ply - 4.5mm	76
	SHH76	76	3ply - 4.5mm	76
	SHH80	80	3ply - 4.5mm	76
	SHH90	90	3ply - 4.5mm	76
	SHH100	100	3ply - 4.5mm	76

Straight Reducer	Pos.	ID	Wall	Length
		(mm)	(mm)	(mm)
	SR32-25	32 > 25	3ply - 4.5mm	76
	SR32-28	32 > 28	3ply - 4.5mm	76
	SR35-25	35 > 25	3ply - 4.5mm	76
	SR35-28	35 > 28	3ply - 4.5mm	76
	SR35-32	35 > 32	3ply - 4.5mm	76
	SR38-22	38 > 22	3ply - 4.5mm	76
	SR38-25	38 > 25	3ply - 4.5mm	76
	SR38-28	38 > 28	3ply - 4.5mm	76
	SR38-32	38 > 32	3ply - 4.5mm	76
	SR38-35	38 > 35	3ply - 4.5mm	76
	SR40-35	40 > 35	3ply - 4.5mm	76
	SR45-32	45 > 32	3ply - 4.5mm	76
	SR45-38	45 > 38	3ply - 4.5mm	76
	SR51-38	51 > 38	3ply - 4.5mm	76
	SR51-45	51 > 45	3ply - 4.5mm	76
	SR54-51	54 > 51	3ply - 4.5mm	76
	SR57-51	57 > 51	3ply - 4.5mm	76
	SR60-51	60 > 51	3ply - 4.5mm	76
	SR63-51	63 > 51	3ply - 4.5mm	76
	SR70-51	70 > 51	3ply - 4.5mm	76
	SR70-57	70 > 57	3ply - 4.5mm	76
	SR70-60	70 > 60	3ply - 4.5mm	76
	SR76-51	76 > 51	3ply - 4.5mm	76
	SR76-63	76 > 63	3ply - 4.5mm	76
	SR76-67	76 > 67	3ply - 4.5mm	76
	SR76-70	76 > 70	3ply - 4.5mm	76
	SR80-70	80 > 70	3ply - 4.5mm	76
	SR90-80	90 > 80	3ply - 4.5mm	76
	SR102-76	102 > 76	3ply - 4.5mm	76

Straight Reducer	Pos.	ID	Wall	Length
		(mm)	(mm)	(mm)
	SR32-25	32 > 25	3ply - 4.5mm	150
	SR32-28	32 > 28	3ply - 4.5mm	150
	SR35-25	35 > 25	3ply - 4.5mm	150
	SR35-28	35 > 28	3ply - 4.5mm	150
	SR35-32	35 > 32	3ply - 4.5mm	150
	SR38-22	38 > 22	3ply - 4.5mm	150
	SR38-25	38 > 25	3ply - 4.5mm	150
	SR38-28	38 > 28	3ply - 4.5mm	150
	SR38-32	38 > 32	3ply - 4.5mm	150
	SR38-35	38 > 35	3ply - 4.5mm	150
	SR40-35	40 > 35	3ply - 4.5mm	150
	SR45-32	45 > 32	3ply - 4.5mm	150
	SR45-38	45 > 38	3ply - 4.5mm	150
	SR51-38	51 > 38	3ply - 4.5mm	150
	SR51-45	51 > 45	3ply - 4.5mm	150
	SR54-51	54 > 51	3ply - 4.5mm	150
	SR57-51	57 > 51	3ply - 4.5mm	150
	SR60-51	60 > 51	3ply - 4.5mm	150
	SR63-51	63 > 51	3ply - 4.5mm	150
	SR70-51	70 > 51	3ply - 4.5mm	150
	SR70-57	70 > 57	3ply - 4.5mm	150
	SR70-60	70 > 60	3ply - 4.5mm	150
	SR76-51	76 > 51	3ply - 4.5mm	150
	SR76-63	76 > 63	3ply - 4.5mm	150
	SR76-67	76 > 67	3ply - 4.5mm	150
	SR76-70	76 > 70	3ply - 4.5mm	150
	SR80-70	80 > 70	3ply - 4.5mm	150
	SR90-80	90 > 80	3ply - 4.5mm	150
	SR102-76	102 > 76	3ply - 4.5mm	150

Straight 1m	Pos.	ID	Wall	Length
		(mm)	(mm)	(mm)
	SHL11	11	3ply - 4.5mm	1000
	SHL13	13	3ply - 4.5mm	1000
	SHL16	16	3ply - 4.5mm	1000
	SHL19	19	3ply - 4.5mm	1000
	SHL22	22	3ply - 4.5mm	1000
	SHL25	25	3ply - 4.5mm	1000
	SHL28	28	3ply - 4.5mm	1000
	SHL30	30	3ply - 4.5mm	1000
	SHL32	32	3ply - 4.5mm	1000
	SHL35	35	3ply - 4.5mm	1000
	SHL38	38	3ply - 4.5mm	1000
	SHL41	41	3ply - 4.5mm	1000
	SHL45	45	3ply - 4.5mm	1000
	SHL48	48	3ply - 4.5mm	1000
	SHL51	51	3ply - 4.5mm	1000
	SHL54	54	3ply - 4.5mm	1000
	SHL57	57	3ply - 4.5mm	1000
	SHL60	60	3ply - 4.5mm	1000
	SHL63	63	3ply - 4.5mm	1000
	SHL70	70	3ply - 4.5mm	1000
	SHL76	76	3ply - 4.5mm	1000
	SHL80	80	3ply - 4.5mm	1000
	SHL83	83	3ply - 4.5mm	1000
	SHL89	89	3ply - 4.5mm	1000
	SHL102	102	3ply - 4.5mm	1000

45 degree elbow	Pos.	ID	Wall	Length
		(mm)	(mm)	(mm)
	E45-25	25	3ply - 4.5mm	102
	E45-28	28	3ply - 4.5mm	102
	E45-30	30	3ply - 4.5mm	102
	E45-32	32	3ply - 4.5mm	102
	E45-38	38	3ply - 4.5mm	102
	E45-45	45	3ply - 4.5mm	102
	E45-48	48	3ply - 4.5mm	102
	E45-51	51	3ply - 4.5mm	102
	E45-54	54	3ply - 4.5mm	102
	E45-57	57	3ply - 4.5mm	102
	E45-60	60	3ply - 4.5mm	102
	E45-63	63	3ply - 4.5mm	102
	E45-70	70	3ply - 4.5mm	102
	E45-76	76	3ply - 4.5mm	102
	E45-80	80	3ply - 4.5mm	102
	E45-83	83	3ply - 4.5mm	102
	E45-89	89	3ply - 4.5mm	102
	E45-102	102	3ply - 4.5mm	102

45 degree elbow	Pos.	ID	Wall	Length
		(mm)	(mm)	(mm)
	E45-25	25	3ply - 4.5mm	150
	E45-28	28	3ply - 4.5mm	150
	E45-30	30	3ply - 4.5mm	150
	E45-32	32	3ply - 4.5mm	150
	E45-38	38	3ply - 4.5mm	150
	E45-45	45	3ply - 4.5mm	150
	E45-48	48	3ply - 4.5mm	150
	E45-51	51	3ply - 4.5mm	150
	E45-54	54	3ply - 4.5mm	150
	E45-57	57	3ply - 4.5mm	150
	E45-60	60	3ply - 4.5mm	150
	E45-63	63	3ply - 4.5mm	150
	E45-70	70	3ply - 4.5mm	150
	E45-76	76	3ply - 4.5mm	150
	E45-80	80	3ply - 4.5mm	150
	E45-83	83	3ply - 4.5mm	150
	E45-89	89	3ply - 4.5mm	150
	E45-102	102	3ply - 4.5mm	150

45 degree elbow	Pos.	ID	Wall	Length
		(mm)	(mm)	(mm)
	E45-25	25	3ply - 4.5mm	200
	E45-28	28	3ply - 4.5mm	200
	E45-30	30	3ply - 4.5mm	200
	E45-32	32	3ply - 4.5mm	200
	E45-38	38	3ply - 4.5mm	200
	E45-45	45	3ply - 4.5mm	200
	E45-48	48	3ply - 4.5mm	200
	E45-51	51	3ply - 4.5mm	200
	E45-54	54	3ply - 4.5mm	200
	E45-57	57	3ply - 4.5mm	200
	E45-60	60	3ply - 4.5mm	200
	E45-63	63	3ply - 4.5mm	200
	E45-70	70	3ply - 4.5mm	200
	E45-76	76	3ply - 4.5mm	200
	E45-80	80	3ply - 4.5mm	200
	E45-83	83	3ply - 4.5mm	200
	E45-89	89	3ply - 4.5mm	200
	E45-102	102	3ply - 4.5mm	200

45 degree elbow	Pos.	ID	Wall	Length
		(mm)	(mm)	(mm)
	E45-25	25	3ply - 4.5mm	250
	E45-28	28	3ply - 4.5mm	250
	E45-30	30	3ply - 4.5mm	250
	E45-32	32	3ply - 4.5mm	250
	E45-38	38	3ply - 4.5mm	250
	E45-45	45	3ply - 4.5mm	250
	E45-48	48	3ply - 4.5mm	250
	E45-51	51	3ply - 4.5mm	250
	E45-54	54	3ply - 4.5mm	250
	E45-57	57	3ply - 4.5mm	250
	E45-60	60	3ply - 4.5mm	250
	E45-63	63	3ply - 4.5mm	250
	E45-70	70	3ply - 4.5mm	250
	E45-76	76	3ply - 4.5mm	250
	E45-80	80	3ply - 4.5mm	250
	E45-83	83	3ply - 4.5mm	250
	E45-89	89	3ply - 4.5mm	250
	E45-102	102	3ply - 4.5mm	250

90 degree elbow	Pos.	ID	Wall	Length
		(mm)	(mm)	(mm)
	E90-25	25	3ply - 4.5mm	102
	E90-28	28	3ply - 4.5mm	102
	E90-30	30	3ply - 4.5mm	102
	E90-32	32	3ply - 4.5mm	102
	E90-38	38	3ply - 4.5mm	102
	E90-45	45	3ply - 4.5mm	102
	E90-48	48	3ply - 4.5mm	102
	E90-51	51	3ply - 4.5mm	102
	E90-54	54	3ply - 4.5mm	102
	E90-57	57	3ply - 4.5mm	102
	E90-60	60	3ply - 4.5mm	102
	E90-63	63	3ply - 4.5mm	102
	E90-70	70	3ply - 4.5mm	102
	E90-76	76	3ply - 4.5mm	102
	E90-80	80	3ply - 4.5mm	102
	E90-83	83	3ply - 4.5mm	102
	E90-89	89	3ply - 4.5mm	102
	E90-102	102	3ply - 4.5mm	102

90 degree elbow	Pos.	ID	Wall	Length
		(mm)	(mm)	(mm)
	E90-25	25	3ply - 4.5mm	150
	E90-28	28	3ply - 4.5mm	150
	E90-30	30	3ply - 4.5mm	150
	E90-32	32	3ply - 4.5mm	150
	E90-38	38	3ply - 4.5mm	150
	E90-45	45	3ply - 4.5mm	150
	E90-48	48	3ply - 4.5mm	150
	E90-51	51	3ply - 4.5mm	150
	E90-54	54	3ply - 4.5mm	150
	E90-57	57	3ply - 4.5mm	150
	E90-60	60	3ply - 4.5mm	150
	E90-63	63	3ply - 4.5mm	150
	E90-70	70	3ply - 4.5mm	150
	E90-76	76	3ply - 4.5mm	150
	E90-80	80	3ply - 4.5mm	150
	E90-83	83	3ply - 4.5mm	150
	E90-89	89	3ply - 4.5mm	150
	E90-102	102	3ply - 4.5mm	150

90 degree elbow	Pos.	ID	Wall	Length
		(mm)	(mm)	(mm)
	E90-25	25	3ply - 4.5mm	200
	E90-28	28	3ply - 4.5mm	200
	E90-30	30	3ply - 4.5mm	200
	E90-32	32	3ply - 4.5mm	200
	E90-38	38	3ply - 4.5mm	200
	E90-45	45	3ply - 4.5mm	200
	E90-48	48	3ply - 4.5mm	200
	E90-51	51	3ply - 4.5mm	200
	E90-54	54	3ply - 4.5mm	200
	E90-57	57	3ply - 4.5mm	200
	E90-60	60	3ply - 4.5mm	200
	E90-63	63	3ply - 4.5mm	200
	E90-70	70	3ply - 4.5mm	200
	E90-76	76	3ply - 4.5mm	200
	E90-80	80	3ply - 4.5mm	200
	E90-83	83	3ply - 4.5mm	200
	E90-89	89	3ply - 4.5mm	200
	E90-102	102	3ply - 4.5mm	200

90 degree elbow	Pos.	ID	Wall	Length
		(mm)	(mm)	(mm)
	E90-25	25	3ply - 4.5mm	250
	E90-28	28	3ply - 4.5mm	250
	E90-30	30	3ply - 4.5mm	250
	E90-32	32	3ply - 4.5mm	250
	E90-38	38	3ply - 4.5mm	250
	E90-45	45	3ply - 4.5mm	250
	E90-48	48	3ply - 4.5mm	250
	E90-51	51	3ply - 4.5mm	250
	E90-54	54	3ply - 4.5mm	250
	E90-57	57	3ply - 4.5mm	250
	E90-60	60	3ply - 4.5mm	250
	E90-63	63	3ply - 4.5mm	250
	E90-70	70	3ply - 4.5mm	250
	E90-76	76	3ply - 4.5mm	250
	E90-80	80	3ply - 4.5mm	250
	E90-83	83	3ply - 4.5mm	250
	E90-89	89	3ply - 4.5mm	250
	E90-102	102	3ply - 4.5mm	250

90 degree reducer	Pos.	ID	Wall	Length
		(mm)	(mm)	(mm)
	RE38-25	38 > 25	3ply - 4.5mm	102
	RE38-32	38 > 32	3ply - 4.5mm	102
	RE38-35	38 > 35	3ply - 4.5mm	102
	RE45-32	45 > 32	3ply - 4.5mm	102
	RE45-38	45 > 38	3ply - 4.5mm	102
	RE48-30	48 > 30	3ply - 4.5mm	102
	RE54-45	54 > 45	3ply - 4.4mm	102
	RE54-48	54 > 48	3ply - 4.5mm	102
	RE57-51	57 > 51	3ply - 4.5mm	102
	RE60-51	60 > 51	3ply - 4.5mm	102
	RE63-51	63 > 51	3ply - 4.5mm	102
	RE63-57	63 > 57	3ply - 4.5mm	102
	RE70-63	70 > 63	3ply - 4.5mm	102
	RE76-51	76 > 51	3ply - 4.5mm	102
	RE76-60	76 > 60	3ply - 4.5mm	102
	RE76-63	76 > 63	3ply - 4.5mm	102
	RE102-76	102 > 76	3ply - 4.5mm	102
	RE102-89	102 > 89	3ply - 4.5mm	102

T-hose	Pos.	ID	Wall	Length
		(mm)	(mm)	(mm)
	T-38	38/51	3ply - 4.5mm	102/51
	T-45	45/51	3ply - 4.5mm	102/51
	T-48	48/51	3ply - 4.5mm	102/51
	T-51	51/51	3ply - 4.5mm	102/51
	T-54	54/51	3ply - 4.5mm	102/51
	T-57	57/51	3ply - 4.5mm	102/51
	T-60	60/51	3ply - 4.5mm	102/51
	T-63	63/51	3ply - 4.5mm	102/51
	T-70	70/51	3ply - 4.5mm	102/51
	T-76	76/51	3ply - 4.5mm	102/51

135 degree Elbow	Pos.	ID	Wall	Length
		(mm)	(mm)	(mm)
	E135-22	22	3ply4.5mm	102
	E135-25	25	3ply4.5mm	102
	E135-28	28	3ply4.5mm	102
	E135-30	30	3ply4.5mm	102
	E135-32	32	3ply4.5mm	102
	E135-35	35	3ply4.5mm	102
	E135-38	38	3ply4.5mm	102
	E135-51	51	3ply4.5mm	102
	E135-54	54	3ply4.5mm	102
	E135-57	57	3ply4.5mm	102
	E135-60	60	3ply4.5mm	102
	E135-63	63	3ply4.5mm	102
	E135-70	70	3ply4.5mm	102
	E135-76	76	3ply4.5mm	102

180 degree Elbow	Pos.	ID	Wall	Length
		(mm)	(mm)	(mm)
	E180-22	22	3ply - 4.5mm	102
	E180-25	25	3ply - 4.5mm	102
	E180-28	28	3ply - 4.5mm	102
	E180-30	30	3ply - 4.5mm	102
	E180-32	32	3ply - 4.5mm	102
	E180-35	35	3ply - 4.5mm	102
	E180-38	38	3ply - 4.5mm	102
	E180-51	51	3ply - 4.5mm	102
	E180-63	63	3ply - 4.5mm	102
	E180-76	76	3ply - 4.5mm	102

Working Temperature : - 40°C to 180°C

Working Pressure : 0.3 Mpa to 0.9 Mpa

Standard Colour : Blue / Red / Black



Famcom Rubber Products (India) Pvt. Ltd.

A-18, Ground Floor, G.T. Karnal Road, Industrial Area, Delhi-110033 (INDIA)

Phone : +91-11-2745 7986, 2742 7025

E-mail : info@cobe.in Website : www.cobe.in